

## Salmon Ladder Pulley System

### Step 1:

If not already installed, attach the **Salmon Ladder Rig Pulleys (A)** to the top of the **Salmon Ladder Uprights** using **1-1/4" Wood Screws**.

### Step 2:


Unwrap the first **50' Rope Spool** and securely tie one end of the rope to one side of the **Salmon Ladder Bar**. Then, unwrap the second rope spool and repeat the process on the other side, so that a rope is securely attached to both ends of the bar.

### Step 3:

Place the **Salmon Ladder Bar** on the highest rung. Pull the loose ends of both ropes through the **Salmon Ladder Rig Pulleys**, letting them hang over the opposite side of the **Salmon Ladder** (where the pad is) until they touch the ground.

### Step 4:

Thread the end of each rope through the pulleys on the **Salmon Ladder Weights** and then tie the loose ends to the top of the uprights. Place the weights and rope in the 1.5" gap between the pads and uprights. Ensure the weights can slide freely up and down behind the pads.



Part Number	Part Description	Quantity
NW-SLPULLEYRIG	Salmon Ladder Rig Pulley	2
PI921	50' Rope Spool	2
CUSTOM	Salmon Ladder Weight	2
PI14STBK	1-1/4" Wood Screws	8

### Need help?

Call 1-800-932-3339 or  
Email [info@gymsupply.com](mailto:info@gymsupply.com)